# **Accessibility Conformance Report**

# **International Edition**

(Based on VPAT<sup>®</sup> Version 2.4)

#### Name of Product/Version: Harness Feature Flags

Report Date: 21 Mar, 2023

#### Contact Information: accessibility@harness.io

#### Notes:

The testing process was carried out in compliance to the WCAG 2.1 AA guidelines. The product was found to be overall partially supportive.

As a summary, there are some elements and functionalities that are not being supported such as headings, role, focus order etc. However, the page is navigable, and, in most cases, there is a solution for the features that are not being supported.

Accessibility for Americans with Disabilities Act (ADA) website compliance requires all public and (large) private organizations to make their websites and web content conform with mandatory accessibility standards (WCAG 2.0). WCAG is simply a set of formal guidelines on how to develop accessible web content. These standards represent a higher level of accessibility than 508 standards, although they are identical or very similar. WCAG focuses primarily on HTML accessibility.

#### **Evaluation Methods Used:**

The product was tested against all of the applicable 50 success criteria within the Web Content Accessibility Guidelines (WCAG) 2.1 Conformance Level A and AA. The testing methodology included a combination of automated testing, manual testing conducted via paired testing methodology involving two testers, one of them is a non-sighted and the other is a sighted accessibility expert. This testing methodology ensures that every aspect related to accessibility and user experience is included in our analysis. Below is a list of some of the technologies and environments used:

- Assistive technologies Screen readers NVDA, Jaws, Keyboard only interaction, Browser zoom
- Automated tools aXe, Color Contrast Analyzer
- Browsers Chrome, Edge, Firefox
- Accessibility plugins aXe
- Desktop- Windows 10

The combinations of technologies used were the following:

- Windows with Firefox/ Chrome and NVDA
- Windows with Chrome and Jaws
- Windows with Edge and Jaws
- Windows with Chrome and aXe
- Windows with Google Chrome and Zoom
- Windows with Google Chrome and Color Contrast Analyzer

## **Applicable Standards/Guidelines**

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes)
	Level AA (Yes)
	Level AAA (No )
Web Content Accessibility Guidelines 2.1	Level A (Yes)
	Level AA (Yes )
	Level AAA (No )
Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018	(Yes)
EN 301 549 Accessibility requirements suitable for public procurement of ICT products and services in Europe, - V3.1.1 (2019-11)	(No )

#### Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports**: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports**: Some functionality of the product does not meet the criterion.
- **Does Not Support**: The majority of product functionality does not meet the criterion.
- Not Applicable: The criterion is not relevant to the product.
- **Not Evaluated**: The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

# WCAG 2.1 Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 Web, Sections 10.1-10.4 of Chapter 10 Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 Documentation
- Revised Section 508: Chapter 5 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the <u>WCAG 2.0 Conformance Requirements</u>.

## Table 1: Success Criteria, Level A

Criteria	Conformance Level	Remarks and Explanations
<ul> <li>1.1.1 Non-text Content (Level A)</li> <li>Also applies to:</li> <li>EN 301 549 Criteria <ul> <li>9.1.1.1 (Web)</li> <li>10.1.1.1 (Non-web document)</li> <li>11.1.1.1.1 (Open Functionality Software)</li> <li>11.1.1.1.2 (Closed Functionality Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> </li> <li>Revised Section 508 <ul> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> </ul> </li> </ul>	Supports	<b>Remarks:</b> Proper alt text has been provided to to the graphics present in the application.
<ul> <li>602.3 (Support Docs)</li> <li>1.2.1 Audio-only and Video-only (Prerecorded) (Level A) <ul> <li>Also applies to:</li> <li>EN 301 549 Criteria</li> <li>9.1.2.1 (Web)</li> <li>10.1.2.1 (Non-web document)</li> <li>11.1.2.1.1 (Open Functionality Software)</li> <li>11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508</li> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul> </li> </ul>	Not Applicable	<b>Remark:</b> There is no audio only and video only content present in the application.
<b>1.2.2 Captions (Prerecorded)</b> (Level A)         Also applies to:         EN 301 549 Criteria         • 9.1.2.2 (Web)         • 10.1.2.2 (Non-web document)	Not Applicable	<b>Remark:</b> There is no multimedia content present in the application.

Criteria	Conformance Level	Remarks and Explanations
<ul> <li>11.1.2.2 (Open Functionality Software)</li> <li>11.1.2.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508</li> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul> <b>1.2.3 Audio Description or Media Alternative (Prerecorded)</b> (Level A) <ul> <li>Also applies to:</li> <li>EN 301 549 Criteria</li> <li>9.1.2.3 (Web)</li> <li>10.1.2.3 (Non-web document)</li> <li>11.1.2.3.1 (Open Functionality Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> <li>12.2.4 (Support Docs)</li> <li>Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>504.2 (Authoring Tool)</li> <li>504.2 (Authoring Tool)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Not Applicable	Remark: There is no multimedia content present in the application.
<ul> <li>1.3.1 Info and Relationships (Level A)</li> <li>Also applies to:</li> <li>EN 301 549 Criteria</li> <li>9.1.3.1 (Web)</li> <li>10.1.3.1 (Non-web document)</li> <li>11.1.3.1.1 (Open Functionality Software)</li> <li>11.1.3.1.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508</li> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> </ul>	Partially Supports	Remark: Screen reader properly identifies most of the information available in the application and the screen reader user is easily able to perceive the relationships between an element and its role. Few exceptions are: 1. Get Started> Landmark not programmatically defined 2. Get Started> No heading level 1 not ptogrammatically defined

Criteria	Conformance Level	Remarks and Explanations
602.3 (Support Docs)		3. Heading hierarchy incorrect
		4. Feature Flags> 'i' icon is unnecessarily tagged
1.3.2 Meaningful Sequence (Level A)		
Also applies to:		
EN 301 549 Criteria		Remark:
• 9.1.3.2 (Web)		Kemark:
• 10.1.3.2 (Non-web document)		Screen reader reads most of the content present in
<ul> <li>11.1.3.2.1 (Open Functionality Software)</li> </ul>	Deutielle Course ente	the application in a meaningful sequence with the
<ul> <li>11.1.3.2.2 (Closed Software)</li> </ul>	Partially Supports	help of arrow keys and other reading commands.
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		However, one exception is present:
• 12.2.4 (Support Docs)		1. Feature Flags> New Feature Flags> Boolean>
Revised Section 508		Screen reader is not reading the content according
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		to the presentation order.
602.3 (Support Docs)		
1.3.3 Sensory Characteristics (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.1.3.3 (Web)		
<ul> <li>10.1.3.3 (Non-web document)</li> </ul>		Remark:
<ul> <li>11.1.3.3 (Open Functionality Software)</li> </ul>	Not Applicable	
<ul> <li>11.1.3.3 (Closed Software)</li> </ul>	Not Applicable	No symbol is used to indicate any type of
• 11.8.2 (Authoring Tool)		information on the application.
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
1.4.1 Use of Color (Level A)		Remark:
Also applies to:	Not Applicable	
EN 301 549 Criteria		No color is used to indicate any type of information
• 9.1.4.1 (Web)		on the application.
• 10.1.4.1 (Non-web document)		
<ul> <li>11.1.4.1 (Open Functionality Software)</li> </ul>		

Criteria	Conformance Level	Remarks and Explanations
<ul> <li>11.1.4.1 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508</li> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul> <b>1.4.2 Audio Control</b> (Level A) <ul> <li>Also applies to:</li> <li>EN 301 549 Criteria</li> <li>9.1.4.2 (Web)</li> <li>10.1.4.2 (Non-web document)</li> <li>11.1.4.2 (Closed Software)</li> <li>11.1.4.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508</li> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Not Applicable	Remark: There is no such audio available in the application, which plays automatically as soon as the page is launched.
<ul> <li>2.1.1 Keyboard (Level A)</li> <li>Also applies to:</li> <li>EN 301 549 Criteria</li> <li>9.2.1.1 (Web)</li> <li>10.2.1.1 (Non-web document)</li> <li>11.2.1.1.1 (Open Functionality Software)</li> <li>11.2.1.1.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>Revised Section 508</li> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Partially Supports	Remark: Application has support for keyboard interaction, as all the interactive elements are accessible using the keyboard commands. It works similarly for both screen reader and keyboard-only users. Some elements are not keyboard operable: 1. Modal Windows 2. Dropdowns 3. Buttons

Criteria	Conformance Level	Remarks and Explanations
2.1.2 No Keyboard Trap (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.1.2 (Web)		Remark:
<ul> <li>10.2.1.2 (Non-web document)</li> </ul>		Application has a good support for keyboard
<ul> <li>11.2.1.2 (Open Functionality Software)</li> </ul>	Currente	
• 11.2.1.2 (Closed Software)	Supports	interaction and there is no keyboard trap issue
• 11.8.2 (Authoring Tool)		throughout the application.
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
2.1.4 Character Key Shortcuts (Level A 2.1 only)		
Also applies to:		Remark:
EN 301 549 Criteria		Remark:
• 9.2.1.4 (Web)		There are no such character key shortcuts required
<ul> <li>10.2.1.4 (Non-web document)</li> </ul>	Not Applicable	in the application to operate any feature, which
<ul> <li>11.2.1.4.1 (Open Functionality Software)</li> </ul>		
<ul> <li>11.2.1.4.2 (Closed Software)</li> </ul>		clashes with the predefined screen reader
• 11.8.2 (Authoring Tool)		shortcuts.
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		
2.2.1 Timing Adjustable (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.2.1 (Web)	Not Applicable	
• 10.2.2.1 (Non-web document)	Not Applicable	Remark:
<ul> <li>11.2.2.1 (Open Functionality Software)</li> </ul>		
• 11.2.2.1 (Closed Software)		There is no session time out functionality present in
• 11.8.2 (Authoring Tool)		the application.
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		

Criteria	Conformance Level	Remarks and Explanations
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
• 602.3 (Support Docs)		
2.2.2 Pause, Stop, Hide (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.2.2 (Web)		
• 10.2.2.2 (Non-web document)	Not Applicable	
• 11.2.2.2 (Open Functionality Software)	Not Applicable	Bernardu
• 11.2.2.2 (Closed Software)		Remark:
• 11.8.2 (Authoring Tool)		No moving content is present in the application.
• 12.1.2 (Product Docs)		No moving content is present in the application.
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
2.3.1 Three Flashes or Below Threshold (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.2.3.1 (Web)		
• 10.2.3.1 (Non-web document)	Not Applicable	Remark:
<ul> <li>11.2.3.1 (Open Functionality Software)</li> </ul>		
<ul> <li>11.2.3.1 (Closed Software)</li> </ul>		There is no flashing / blinking content present
• 11.8.2 (Authoring Tool)		anywhere in the application.
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
2.4.1 Bypass Blocks (Level A)	Does Not Support	Remark:
Also applies to:		
EN 301 549 Criteria		Skip to main content link is not present on top of all
• 9.2.4.1 (Web)		web pages.
<ul> <li>10.2.4.1 (Non-web document) – Does not apply</li> </ul>		

Criteria	Conformance Level	Remarks and Explanations
<ul> <li>11.2.4.1 (Open Functionality Software) – Does not apply</li> <li>11.2.4.1 (Closed Software) – Does not apply</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508</li> <li>501 (Web)(Software) – Does not apply to non-web software</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs) – Does not apply to non-web docs</li> </ul> 2.4.2 Page Titled (Level A) <ul> <li>Also applies to:</li> <li>EN 301 549 Criteria</li> <li>9.2.4.2 (Web)</li> <li>10.2.4.2 (Non-web document)</li> <li>11.2.4.2 (Closed Software) – Does not apply</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>Revised Section 508</li> <li>501 (Web)(Software) – Does not apply</li> </ul>	Supports	Remark: Descriptive and unique page titles are provided for different pages in the application.
<ul> <li>2.4.3 Focus Order (Level A)</li> <li>Also applies to:</li> <li>EN 301 549 Criteria <ul> <li>9.2.4.3 (Web)</li> <li>10.2.4.3 (Non-web document)</li> <li>11.2.4.3 (Open Functionality Software)</li> <li>11.2.4.3 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> </li> <li>Revised Section 508 <ul> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> </ul> </li> </ul>	Partially Supports	<ul> <li>Remark:</li> <li>The focus order is moving in a correct sequence for majority of the instances. Exception:</li> <li>1. Modal windows don't always follow logical tabbing order</li> <li>2. Boolean, focus does not automatically move to the first invalid edit field</li> </ul>

Criteria	Conformance Level	Remarks and Explanations
602.3 (Support Docs)		
2.4.4 Link Purpose (In Context) (Level A)		
Also applies to:		
EN 301 549 Criteria	Supports	
• 9.2.4.4 (Web)		
<ul> <li>10.2.4.4 (Non-web document)</li> </ul>		Remark:
<ul> <li>11.2.4.4 (Open Functionality Software)</li> </ul>		Appropriate link text is provided for all of the links
• 11.2.4.4 (Closed Software		
• 11.8.2 (Authoring Tool)		available in the application.
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)		
602.3 (Support Docs)		
2.5.1 Pointer Gestures (Level A 2.1 only)		
Also applies to:	Supports	
EN 301 549 Criteria		
• 9.2.5.1 (Web)		Remark:
• 10.2.5.1 (Non-web document)		All functionality that uses multipoint or path-based
• 11.2.5.1 (Open Functionality Software)		
• 11.2.5.1 (Closed Software)		gestures for operation can be operated with a single
<ul> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Draduct Deca)</li> </ul>		pointer without a path-based gesture.
<ul> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul>		
Revised Section 508 – Does not apply		
2.5.2 Pointer Cancellation (Level A 2.1 only)		
Also applies to:	Supports	Remark:
EN 301 549 Criteria		Nemark.
• 9.2.5.2 (Web)		Entire Application supports pointer cancellation as
<ul> <li>10.2.5.2 (Web)</li> <li>10.2.5.2 (Non-web document)</li> </ul>		the down-event of the pointer is not used to
<ul> <li>11.2.5.2 (Open Functionality Software)</li> </ul>		execute any part of the function, elements trigger
<ul> <li>11.2.5.2 (Closed Software)</li> </ul>		only by using the up-event.
<ul> <li>11.8.2 (Authoring Tool)</li> </ul>		
<ul> <li>12.1.2 (Product Docs)</li> </ul>		
• 12.2.4 (Support Docs)		

Criteria	Conformance Level	Remarks and Explanations
Revised Section 508 – Does not apply		
2.5.3 Label in Name (Level A 2.1 only)	Supports	
Also applies to:		
EN 301 549 Criteria		Remark:
• 9.2.5.3 (Web)		
<ul> <li>10.2.5.3 (Non-web document)</li> </ul>		Visual label matches with the accessible or
<ul> <li>11.2.5.3.1 (Open Functionality Software)</li> </ul>		programmatic name for all of the elements.
<ul> <li>11.2.5.3.2 (Closed Software)</li> </ul>		
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		
2.5.4 Motion Actuation (Level A 2.1 only)		
Also applies to:		
EN 301 549 Criteria		Remark:
• 9.2.5.4 (Web)		Remark.
<ul> <li>10.2.5.4 (Non-web document)</li> </ul>	Not Applicable	There is no functionality in the application that can
<ul> <li>11.2.5.4 (Open Functionality Software)</li> </ul>		be operated by device motion or user motion.
<ul> <li>11.2.5.4 (Closed Software)</li> </ul>		be operated by device motion of user motion.
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		
3.1.1 Language of Page (Level A)		
Also applies to:		
EN 301 549 Criteria		
• 9.3.1.1 (Web)		Remark:
• 10.3.1.1 (Non-web document)	Supports	
• 11.3.1.1.1 (Open Functionality Software)	Supports	Lang attribute 'En' is provided for the all the pages
• 11.3.1.1.2 (Closed Software)		in the application.
• 11.8.2 (Authoring Tool)		
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508		
• 501 (Web)(Software)		
• 504.2 (Authoring Tool)	1	

<ul> <li>11.3.2.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508</li> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> <li>3.3.1 Error Identification (Level A)</li> </ul>	Criteria	Conformance Level	Remarks and Explanations
Also applies to:       EN 301 549 Criteria         EN 301 549 Criteria       9.3.2.1 (Web)         III.3.2.1 (Doen Functionality Software)       11.3.2.1 (Closed Software)         III.3.2.1 (Closed Software)       602.3 (Support Docs)         Revised Section 508       501 (Web)(Software)         Supports       Supports         Remark:       Application does not have any feature / functionality, which triggers automatically on receiving the focus.         III.3.2.1 (Closed Software)       602.3 (Support Docs)         Supports       Supports         Remark:       Application does not have any feature / functionality, which triggers automatically on receiving the focus.         • 501 (Web)(Software)       • 602.3 (Support Docs)         Supports       Supports         Remark:       Change of context does not happen anywhere application when changing the setting of any U component.         • 11.3.2.2 (Closed Software)       • 11.3.2.2 (Closed Software)         • 11.3.2.2 (Closed Software)       • 11.3.2.2 (Support Docs)         • 12.2.4 (Support Docs)	602.3 (Support Docs)	T	
EN 301 549 Criteria       9.3.2.1 (Web)         • 0.3.2.1 (Wor-web document)       Application does not have any feature / functionality, which triggers automatically on receiving the focus.         • 11.3.2.1 (Closed Software)       functionality, which triggers automatically on receiving the focus.         • 11.3.2.1 (Closed Software)       functionality, which triggers automatically on receiving the focus.         • 11.3.2.1 (Closed Software)       501 (Web) (Software)         • 11.3.2.2 (Support Docs)       Supports         Revised Section 508       Support Socs)         • 504.2 (Authoring Tool)       Supports         • 11.3.2.2 (Open Functionality Software)       Supports         • 11.3.2.2 (Open Functionality Software)       Supports         • 11.3.2.2 (Closed Software)       Supports         • 11.3.2.2 (Closed Software)       Supports         • 11.3.2.2 (Closed Software)       Change of context does not happen anywhere application when changing the setting of any U component.         • 11.3.2.2 (Closed Software)       Change of context does not happen anywhere application when changing the setting of any U component.         • 11.3.2.2 (Product Docs)       Fermark:         • 11.3.2.2 (Support Docs)       Change of context does not happen anywhere application when changing the setting of any U component.         • 12.2.4 (Support Docs)       Support Docs)         Revised Section S08	3.2.1 On Focus (Level A)		
<ul> <li>9.3.2.1 (Web)</li> <li>10.3.2.1 (Non-web document)</li> <li>11.3.2.1 (Closed Software)</li> <li>11.3.2.1 (Closed Software)</li> <li>11.3.2.1 (Product Docs)</li> <li>12.1.2 (Product Docs)</li> <li>Revised Section 508</li> <li>501 (Web)(Software)</li> <li>503.2 (Web)</li> <li>9.3.2.2 (Non-web document)</li> <li>11.3.2.2 (Closed Software)</li> <li>11.3.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> <li>Revised Section 508</li> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> <li>3.3.1 Error Identification (Level A)</li> <li>Remark:</li> </ul>	Also applies to:		
<ul> <li>S.J. (Wei)</li> <li>10.3.2.1 (Non-web document)</li> <li>11.3.2.1 (Open Functionality Software)</li> <li>11.3.2.1 (Closed Software)</li> <li>11.3.2.1 (Closed Software)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508</li> <li>501 (Web)(Software)</li> <li>602.3 (Support Docs)</li> <li>3.2.2 (Non-web document)</li> <li>10.3.2.2 (Non-web document)</li> <li>10.3.2.2 (Non-web document)</li> <li>10.3.2.2 (Non-web document)</li> <li>10.3.2.2 (Non-web document)</li> <li>11.3.2.2 (Closed Software)</li> <li>12.2.4 (Support Docs)</li> <li>Supports</li> <li>Supports</li> <li>Remark:</li> <li>Change of context does not happen anywhere application when changing the setting of any U component.</li> <li>Component.</li> <li>Software)</li> <l< td=""><td>EN 301 549 Criteria</td><td></td><td></td></l<></ul>	EN 301 549 Criteria		
<ul> <li>11.3.2.1 (Open Functionality Software)</li> <li>11.3.2.1 (Closed Software)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> <li>3.2.2 (Onenweth document)</li> <li>10.3.2.2 (Non-web document)</li> <li>11.3.2.2 (Closed Software)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508</li> <li>501 (Web)(Software)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508</li> <li>501 (Web)(Software)</li> <li>13.3.2 (Non-web document)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508</li> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> <li>3.3.1 Error Identification (Level A)</li> <li>Remark:</li> </ul>	• 9.3.2.1 (Web)		Remark:
<ul> <li>11.3.2.1 (Deen Functionality software)</li> <li>11.3.2.1 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> <li>Soft (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> <li>3.2.2 (Nueb)</li> <li>11.3.2.2 (Closed Software)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508</li> <li>Soft (Web)(Software)</li> <li>12.2.4 (Support Docs)</li> <li>Supports</li> <li>Revised Section 508</li> <li>Soft (Web)(Software)</li> <li>12.2.4 (Support Docs)</li> <li>Support Docs)<td></td><td>Supports</td><td>Application does not have any feature /</td></li></ul>		Supports	Application does not have any feature /
<ul> <li>11.3.2.1 (Used Software)</li> <li>11.3.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508</li> <li>501 (Web)(Software)</li> <li>602.3 (Support Docs)</li> <li>3.2.2 On Input (Level A)</li> <li>Also applies to:</li> <li>EN 301 549 Criteria</li> <li>9.3.2.2 (Web)</li> <li>10.3.2.2 (Non-web document)</li> <li>11.3.2.2 (Open Functionality Software)</li> <li>12.1.2 (Product Docs)</li> <li>Revised Section 508</li> <li>Soli (Web)(Software)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508</li> <li>Soli (Web)(Software)</li> <li>Soli (Li (Li (Li (Li (Li (Li (Li (Li (Li (L</li></ul>		Supports	
<ul> <li>11.3.2 (Varduet Docs)</li> <li>12.2.4 (Support Docs)</li> <li>Sol (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> <li>3.2.2 On Input (Level A)</li> <li>Also applies to:</li> <li>EN 301 549 Criteria</li> <li>9.3.2.2 (Web)</li> <li>10.3.2.2 (Non-web document)</li> <li>11.3.2.2 (Open Functionality Software)</li> <li>11.3.2.2 (Closed Software)</li> <li>11.3.2.2 (Closed Software)</li> <li>11.3.2.2 (Closed Software)</li> <li>11.3.2.2 (Losed Software)</li> <li>11.3.2.2 (Losed Software)</li> <li>11.3.2.4 (Support Docs)</li> <li>Supports</li> <li>Remark:</li> <li>Change of context does not happen anywhere application when changing the setting of any U component.</li> <li>Soft (Web)(Software)</li> <li>Soft (Web)(Software)<td></td><td></td><td></td></li></ul>			
<ul> <li>12.2.4 (Support Docs) Revised Section 508         <ul> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul> </li> <li>3.2.2 On Input (Level A)         <ul> <li>Also applies to:                 <ul> <li>EN 301 549 Criteria</li> <li>9.3.2.2 (Web)</li> <li>10.3.2.2 (Non-web document)</li> <li>11.3.2.2 (Open Functionality Software)</li> <li>11.3.2.2 (Closed Software)</li> <li>11.3.2.2 (Closed Software)</li> <li>11.3.2.2 (Authoring Tool)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508                     <li>Soli (Web)(Software)</li> <li>Soli (Web)(Software)</li></li></ul></li></ul></li></ul>			receiving the locus.
Revised Section 508       501 (Web)(Software)         501 (Web)(Software)       504.2 (Authoring Tool)         502.3 (Support Docs)       3.2.2 On Input (Level A)         Also applies to:       EN 301 549 Criteria         9.3.2.2 (Web)       10.3.2.2 (Non-web document)         11.3.2.2 (Open Functionality Software)       Supports         11.3.2.2 (Open Functionality Software)       Change of context does not happen anywhere application when changing the setting of any U component.         11.3.2.2 (Induct Docs)       12.2.4 (Support Docs)         Revised Section 508       501 (Web)(Software)         501 (Web)(Software)       501 (Web)(Software)         501 (Web)(Software)       504.2 (Authoring Tool)         602.3 (Support Docs)       Remark:         3.3.1 Error Identification (Level A)       Remark:			
<ul> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> <li>3.2.2 On Input (Level A)</li> <li>Also applies to:</li> <li>EN 301 549 Criteria</li> <li>9.3.2.2 (Web)</li> <li>10.3.2.2 (Non-web document)</li> <li>11.3.2.2 (Open Functionality Software)</li> <li>11.3.2.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>Revised Section 508</li> <li>501 (Web)(Software)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508</li> <li>501 (Web)(Software)</li> <li>602.3 (Support Docs)</li> <li>3.3.1 Error Identification (Level A)</li> <li>Remark:</li> </ul>			
<ul> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> <li>3.2.2 On Input (Level A)</li> <li>Also applies to:</li> <li>EN 301 549 Criteria</li> <li>9.3.2.2 (Web)</li> <li>10.3.2.2 (Non-web document)</li> <li>11.3.2.2 (Open Functionality Software)</li> <li>11.3.2.2 (Closed Software)</li> <li>11.3.2.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>Revised Section 508</li> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> <li>3.3.1 Error Identification (Level A)</li> </ul>			
<ul> <li>602.3 (Support Docs)</li> <li>3.2.2 On Input (Level A)         Also applies to:         EN 301 549 Criteria         9.3.2.2 (Web)         10.3.2.2 (Non-web document)         11.3.2.2 (Open Functionality Software)         11.3.2.2 (Closed Software)         11.3.2.4 (Support Docs)         Revised Section 508         501 (Web)(Software)         501 (Web)(Software)         503.1 Error Identification (Level A)         Remark:         Support Docs)         Remark:         R</li></ul>			
3.2.2 On Input (Level A)         Also applies to:         EN 301 549 Criteria         9.3.2.2 (Web)         10.3.2.2 (Non-web document)         11.3.2.2 (Open Functionality Software)         11.3.2.2 (Closed Software)         11.3.2.2 (Closed Software)         11.8.2 (Authoring Tool)         12.1.2 (Product Docs)         Revised Section 508         501 (Web)(Software)         501 (Web)(Software)         501 (Web)(Software)         602.3 (Support Docs)         3.3.1 Error Identification (Level A)	· • •		
Also applies to: EN 301 549 CriteriaSupportsRemark:0.3.2.2 (Web)10.3.2.2 (Non-web document)Supports11.3.2.2 (Open Functionality Software)11.3.2.2 (Closed Software)11.3.2.2 (Closed Software)11.8.2 (Authoring Tool)11.8.2 (Authoring Tool)12.1.2 (Product Docs)12.2.4 (Support Docs)Revised Section 508501 (Web)(Software)504.2 (Authoring Tool)602.3 (Support Docs)8.3.1 Error Identification (Level A)			
EN 301 549 CriteriaSupports9.3.2.2 (Web)10.3.2.2 (Non-web document)11.3.2.2 (Open Functionality Software)11.3.2.2 (Open Functionality Software)11.3.2.2 (Closed Software)11.8.2 (Authoring Tool)12.1.2 (Product Docs)application when changing the setting of any U12.2.4 (Support Docs)component.Revised Section 508501 (Web)(Software)504.2 (Authoring Tool)602.3 (Support Docs)3.3.1 Error Identification (Level A)Remark:			
<ul> <li>9.3.2.2 (Web)</li> <li>10.3.2.2 (Non-web document)</li> <li>11.3.2.2 (Open Functionality Software)</li> <li>11.3.2.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508</li> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> <li>3.3.1 Error Identification (Level A)</li> <li>Remark:</li> </ul>			
<ul> <li>10.3.2.2 (Non-web document)</li> <li>11.3.2.2 (Open Functionality Software)</li> <li>11.3.2.2 (Closed Software)</li> <li>11.3.2.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508</li> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> <li>3.3.1 Error Identification (Level A)</li> <li>Remark:</li> </ul>			
<ul> <li>10.3.2.2 (Non-web document)</li> <li>11.3.2.2 (Open Functionality Software)</li> <li>11.3.2.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508</li> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> <li>3.3.1 Error Identification (Level A)</li> <li>Change of context does not happen anywhere application when changing the setting of any U component.</li> </ul>			Remark:
<ul> <li>11.3.2.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508</li> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> <li>3.3.1 Error Identification (Level A)</li> </ul>		Supports	
<ul> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508</li> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> <li>3.3.1 Error Identification (Level A)</li> </ul>			Change of context does not happen anywhere in the
<ul> <li>11.8.2 (Authoring fool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508</li> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul> 3.3.1 Error Identification (Level A) Remark:			application when changing the setting of any UI
<ul> <li>12.1.2 (Froduct Docs)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508</li> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul> 3.3.1 Error Identification (Level A) Remark:			
Revised Section 508       501 (Web)(Software)         • 501. (Web)(Software)       504.2 (Authoring Tool)         • 602.3 (Support Docs)       8         3.3.1 Error Identification (Level A)       Remark:			
<ul> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> <li>3.3.1 Error Identification (Level A)</li> <li>Remark:</li> </ul>			
504.2 (Authoring Tool)     602.3 (Support Docs)  3.3.1 Error Identification (Level A)  Remark:			
602.3 (Support Docs)  3.3.1 Error Identification (Level A)  Remark:			
3.3.1 Error Identification (Level A) Remark:	· • •		
		+	Dementu
Also applies to:	Also applies to:		Kemark:
		Supports	Error message which appears is descriptive and
• 9.3.3.1 (Web) sufficient enough to understand its purpose.		1	
<ul> <li>Interference of the stand its purpose.</li> <li>10.3.3.1 (Non-web document)</li> </ul>			sumerent enough to understand its purpose.
<ul> <li>11.3.3.1.1 (Open Functionality Software)</li> </ul>			
<ul> <li>11.3.3.1.1 (Open functionality Software)</li> <li>11.3.3.1.2 (Closed Software)</li> </ul>			

Criteria	Conformance Level	Remarks and Explanations
<ul> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508</li> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>		
<ul> <li>3.3.2 Labels or Instructions (Level A)</li> <li>Also applies to:</li> <li>EN 301 549 Criteria</li> <li>9.3.3.2 (Web)</li> <li>10.3.3.2 (Non-web document)</li> <li>11.3.3.2 (Open Functionality Software)</li> <li>11.3.3.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>Revised Section 508</li> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Partially Supports	Remark: All the form fields present in the application have appropriate labels. However an exception is present: 1. Environment combo box 2. Boolean form edit field and combo box
<ul> <li>4.1.1 Parsing (Level A)</li> <li>Also applies to:</li> <li>EN 301 549 Criteria</li> <li>9.4.1.1 (Web)</li> <li>10.4.1.1 (Won-web document)</li> <li>11.4.1.1.1 (Open Functionality Software)</li> <li>11.4.1.1.2 (Closed Software) – Does not apply</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508</li> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Partially Supports	This evaluation requires code level check in order to validate the start and end tags, elements nesting according to specification, duplicate attribute etc. While reviewing the source code of application using axe tool, we came across code level issues on pages that could cause parsing or compatibility concerns.

Criteria	Conformance Level	Remarks and Explanations
4.1.2 Name, Role, Value (Level A) Also applies to: EN 301 549 Criteria 9.4.1.2 (Web) 10.4.1.2 (Non-web document) 11.4.1.2.1 (Open Functionality Software) 11.4.1.2.2 (Closed Software) – Not required 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Partially Supports	Remark:         Most of the components present in the application have proper name/label, role/state and value.         Few custom controls below do not have the name, role, value defined programmatically:         1. Get Started> Name         2. Name and role         3. Role of 'environment'         4. Combo box 'environment'

# Table 2: Success Criteria, Level AA

Criteria	Conformance Level	Remarks and Explanations
<ul> <li>1.2.4 Captions (Live) (Level AA) Also applies to: EN 301 549 Criteria <ul> <li>9.1.2.4 (Web)</li> <li>10.1.2.4 (Non-web document)</li> <li>11.1.2.4 (Open Functionality Software)</li> <li>11.1.2.4 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> </li> <li>Revised Section 508 <ul> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul> </li> </ul>	Not Applicable	Remark: There is no live multimedia content present in the application.
1.2.5 Audio Description (Prerecorded) (Level AA)	Not Applicable	Remark:

Criteria	Conformance Level	Remarks and Explanations
Also applies to: EN 301 549 Criteria 9.1.2.5 (Web) 10.1.2.5 (Non-web document) 11.1.2.5 (Open Functionality Software) 11.1.2.5 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)		There is no multimedia content present in the application which requires audio description.
<ul> <li>1.3.4 Orientation (Level AA 2.1 only)</li> <li>Also applies to:</li> <li>EN 301 549 Criteria</li> <li>9.1.3.4 (Web)</li> <li>10.1.3.4 (Non-web document)</li> <li>11.1.3.4 (Open Functionality Software)</li> <li>11.1.3.4 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>Revised Section 508 – Does not apply</li> </ul>	Supports	<b>Remark:</b> Application provides supports and works equally in both landscape/portrait orientation modes.
<ul> <li>1.3.5 Identify Input Purpose (Level AA 2.1 only)</li> <li>Also applies to:</li> <li>EN 301 549 Criteria</li> <li>9.1.3.5 (Web)</li> <li>10.1.3.5 (Non-web document)</li> <li>11.1.3.5.1 (Open Functionality Software)</li> <li>11.1.3.5.2 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>Revised Section 508 – Does not apply</li> </ul>	Partially Supports	<b>Remark:</b> Purpose of input fields collecting information about the user is not programmatically determined.

Criteria	Conformance Level	Remarks and Explanations
<ul> <li>1.4.3 Contrast (Minimum) (Level AA) Also applies to: EN 301 549 Criteria <ul> <li>9.1.4.3 (Web)</li> <li>10.1.4.3 (Non-web document)</li> <li>11.1.4.3 (Open Functionality Software)</li> <li>11.1.4.3 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> </li> <li>Revised Section 508 <ul> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul> </li> </ul>	Partially Supports	Sufficient color contrast is used to display most of the textual information. Whereas color contrast for some standard text & placeholder text is insufficient.
Also applies to: EN 301 549 Criteria 9.1.4.4 (Web) 10.1.4.4 (Non-web document) 11.1.4.4.1 (Open Functionality Software) 11.1.4.4.2 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Partially Supports	Remark: Application is operable and readable while resizing the content using the browser zoom feature. Except for below: 1. Get Started> When zoomed upto 200%, horizontal and vertical bars appear
<ul> <li>1.4.5 Images of Text (Level AA) Also applies to: EN 301 549 Criteria</li> <li>9.1.4.5 (Web)</li> <li>10.1.4.5 (Non-web document)</li> <li>11.1.4.5.1 (Open Functionality Software)</li> <li>11.1.4.5.2 (Closed Software) – Does not apply</li> <li>11.8.2 (Authoring Tool)</li> </ul>	Not Applicable	<b>Remark:</b> There is no such information present in the application, which is in the form of Image of text.

Criteria	Conformance Level	Remarks and Explanations
<ul> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508</li> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul> <b>1.4.10 Reflow</b> (Level AA 2.1 only) Also applies to: <ul> <li>EN 301 549 Criteria</li> <li>9.1.4.10 (Web)</li> <li>10.1.4.10 (Non-web document)</li> <li>11.1.4.10 (Open Functionality Software)</li> <li>11.1.4.10 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>Revised Section 508 – Does not apply</li> </ul>	Partially Supports	Remark: Application is operable and readable while resizing the content using the browser zoom feature. Except for below: 1. Get Started> When zoomed upto 400%, horizontal and vertical bars appear
1.4.11 Non-text Contrast (Level AA 2.1 only)         Also applies to:         EN 301 549 Criteria         9.1.4.11 (Web)         10.1.4.11 (Non-web document)         11.1.4.11 (Open Functionality Software)         11.1.4.11 (Closed Software)         11.8.2 (Authoring Tool)         12.1.2 (Product Docs)         12.2.4 (Support Docs)         Revised Section 508 – Does not apply	Partially Supports	Sufficient color contrast is used to display most of the textual information. Whereas color contrast for some of the user interface controls such as borderline of edit field and copy icon are insufficient.
<ul> <li>1.4.12 Text Spacing (Level AA 2.1 only)</li> <li>Also applies to:</li> <li>EN 301 549 Criteria</li> <li>9.1.4.12 (Web)</li> <li>10.1.4.12 (Non-web document)</li> <li>11.1.4.12 (Open Functionality Software)</li> <li>11.1.4.12 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> </ul>	Supports	<b>Remark:</b> Application provides support for people with low vision and cognitive disabilities as it allows users to view the application content in their desired text (Letter, word, line and paragraph) spacing.

Criteria	Conformance Level	Remarks and Explanations
• 12.1.2 (Product Docs)		
• 12.2.4 (Support Docs)		
Revised Section 508 – Does not apply		
<ul> <li>1.4.13 Content on Hover or Focus (Level AA 2.1 only) Also applies to: EN 301 549 Criteria <ul> <li>9.1.4.13 (Web)</li> <li>10.1.4.13 (Non-web document)</li> <li>11.1.4.13 (Open Functionality Software)</li> <li>11.1.4.13 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508 – Does not apply</li> </ul> </li> </ul>	Partially Supports	<b>Remark:</b> There are web elements available in the application which triggers the additional content after receiving pointer hover or keyboard focus. Exceptions are tooltips for 'x' icon.
<ul> <li>2.4.5 Multiple Ways (Level AA)</li> <li>Also applies to:</li> <li>EN 301 549 Criteria</li> <li>9.2.4.5 (Web)</li> <li>10.2.4.5 (Non-web document) – Does not apply</li> <li>11.2.4.5 (Open Functionality Software) – Does not apply</li> <li>11.2.4.5 (Closed Software) – Does not apply</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>Evised Section 508</li> <li>501 (Web)(Software) – Does not apply to non-web software</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>	Not Applicable	<b>Remark:</b> Multiple ways of navigation is not required in the application.
<ul> <li>2.4.6 Headings and Labels (Level AA) Also applies to: EN 301 549 Criteria</li> <li>9.2.4.6 (Web)</li> <li>10.2.4.6 (Non-web document)</li> <li>11.2.4.6 (Open Functionality Software)</li> </ul>	Support	<b>Remark:</b> Headings present in the application are descriptive enough to understand their purpose and sufficient

Criteria	Conformance Level	Remarks and Explanations
<ul> <li>11.2.4.6 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508</li> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>		label is provided for each form field wherever descriptive label is needed.
2.4.7 Focus Visible (Level AA) Also applies to: EN 301 549 Criteria 9.2.4.7 (Web) 10.2.4.7 (Non-web document) 11.2.4.7 (Open Functionality Software) 11.2.4.7 (Closed Software) 11.8.2 (Authoring Tool) 12.1.2 (Product Docs) 12.2.4 (Support Docs) Revised Section 508 501 (Web)(Software) 504.2 (Authoring Tool) 602.3 (Support Docs)	Support	<b>Remark:</b> Tab focus indicator is visible on interactive elements.
<ul> <li>3.1.2 Language of Parts (Level AA)</li> <li>Also applies to:</li> <li>EN 301 549 Criteria</li> <li>9.3.1.2 (Web)</li> <li>10.3.1.2 (Non-web document)</li> <li>11.3.1.2 (Open Functionality Software) – Does not apply</li> <li>11.3.1.2 (Closed Software) – Does not apply</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508</li> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Not Applicable	<b>Remark:</b> Application content is available in English language only. There is no change in language throughout the application.

Criteria	Conformance Level	Remarks and Explanations
<ul> <li>3.2.3 Consistent Navigation (Level AA) Also applies to: EN 301 549 Criteria <ul> <li>9.3.2.3 (Web)</li> <li>10.3.2.3 (Non-web document) – Does not apply</li> <li>11.3.2.3 (Open Functionality Software) – Does not apply</li> <li>11.3.2.3 (Closed Software) – Does not apply</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> </li> <li>Revised Section 508 <ul> <li>501 (Web)(Software) – Does not apply to non-web software</li> <li>504.2 (Authoring Tool)</li> </ul> </li> </ul>	Support	Remark: Repeated components are occurring in the same order on every page of the application, which helps screen reader and cognitive user to predict the location of different web elements on each page.
<ul> <li>602.3 (Support Docs) – Does not apply to non-web docs</li> <li>3.2.4 Consistent Identification (Level AA) <ul> <li>Also applies to:</li> <li>EN 301 549 Criteria</li> <li>9.3.2.4 (Web)</li> <li>10.3.2.4 (Non-web document) – Does not apply</li> <li>11.3.2.4 (Open Functionality Software) – Does not apply</li> <li>11.3.2.4 (Closed Software) – Does not apply</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>Revised Section 508</li> <li>501 (Web)(Software) – Does not apply to non-web software</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs) – Does not apply to non-web docs</li> </ul> </li> </ul>	Support	<b>Remark:</b> Elements that have the same functionality across multiple pages in the application have same labels or same name.
<ul> <li>3.3.3 Error Suggestion (Level AA)</li> <li>Also applies to:</li> <li>EN 301 549 Criteria</li> <li>9.3.3.3 (Web)</li> <li>10.3.3.3 (Non-web document)</li> <li>11.3.3.3 (Open Functionality Software)</li> <li>11.3.3.3 (Closed Software)</li> <li>11.8.2 (Authoring Tool)</li> </ul>	Supports	<b>Remark:</b> Error message which appears for form is descriptive and precise.

Criteria	Conformance Level	Remarks and Explanations
<ul> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508</li> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul> 3.3.4 Error Prevention (Legal, Financial, Data) (Level AA) Also applies to: <ul> <li>EN 301 549 Criteria</li> <li>9.3.3.4 (Web)</li> <li>10.3.3.4 (Non-web document)</li> <li>11.3.3.4 (Open Functionality Software)</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> <li>Revised Section 508</li> <li>501 (Web)(Software)</li> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	Not Applicable	<b>Remark:</b> This success criterion is related to legal commitment, financial data, etc., which involves serious risk, if no option, is provided for user to review or revert the data before submission. However, application does not have any such forms, where such risk is associated.
<ul> <li>4.1.3 Status Messages (Level AA 2.1 only) Also applies to: EN 301 549 Criteria <ul> <li>9.4.1.3 (Web)</li> <li>10.4.1.3 (Non-web document)</li> <li>11.4.1.3 (Open Functionality Software)</li> <li>11.4.1.3 (Closed Software) – Does not apply</li> <li>11.8.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> </li> <li>Revised Section 508 – Does not apply</li> </ul>	Does Not Support	Remark: Screen reader automatically notify user about alert/ notification/ message which appears in the application. Except for below: 1. Get Started search results 2. Get Started success message 3. Get Started alert message 4. Loading status

#### Table 3: Success Criteria, Level AAA

Notes: Not Applicable Revised Section 508 Report

Notes:

# Chapter 3: <u>Functional Performance Criteria</u> (FPC)

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Partially Supports	Remark: NVDA and Jaws screen reader equally supports the application. Users using these screen readers can easily operate the application. Exceptions: 1. Landmark regions such as header, main and footer 2. Heading hierarchy 4. 'i' icon unnecessarily tagged
302.2 With Limited Vision	Partially Supports	Remark: Color scheme is appropriate and color contrast ratio of most of the interactive elements is equal to or greater than standard ratio of 4.5:1. Exceptions: 1. 'Create a Flag' text 2. Placeholder text 4. Create a Flag success message
302.3 Without Perception of Color	Not Applicable	Remark: No color is used to indicate any type of information on page such as bulleted

Criteria	Conformance Level	Remarks and Explanations
		point, section headings, link, button, etc.,
302.4 Without Hearing	Not Applicable	No multimedia content is present in the application.
302.5 With Limited Hearing	Not Applicable	No multimedia content is present in the application.
302.6 Without Speech	Not Applicable	<b>Remark:</b> Speech is not required to complete any task or activity.
302.7 With Limited Manipulation	Not Applicable	<b>Remark:</b> There are no such complicated keyboard actions required in the application to perform any task, which requires simultaneous actions or fine motor control.
302.8 With Limited Reach and Strength	Partially Supports (Keyboard)	Remark: Application has a good support for keyboard interaction, as most of the interactive elements are accessible using the keyboard commands. Exceptions:
		1. Interactive elements

Criteria	Conformance Level	Remarks and Explanations
		2. Elements present inside modal window
302.9 With Limited Language, Cognitive, and Learning Abilities	Supports	<ul> <li>Remark:</li> <li>Many features in the application have good support for users with cognitive disabilities due to following reasons:</li> <li>1. Application does not have any moving text/images/animations, which disrupts in reading.</li> <li>2. Application does not have any multimedia, which plays automatically and confuses the user.</li> <li>3. Application does not have any flashing object, which causes seizure.</li> </ul>

#### Chapter 4: <u>Hardware</u>

Notes: This website is not subjected to the requirements of this section

## Chapter 5: <u>Software</u>

Notes: This website is not subjected to the requirements of this section

## **Chapter 6:** <u>Support Documentation and Services</u>

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	Heading cell – no response required	Heading cell – no response required
602 Support Documentation	Heading cell – no response required	Heading cell – no response required
602.2 Accessibility and Compatibility Features	Does not support	Remark:

Criteria	Conformance Level	Remarks and Explanations
		There is no section available in the application, which describes the information regarding accessibility and its compatibility with different assistive technologies. This is available on https://developer.harness.io/
602.3 Electronic Support Documentation	See <u>WCAG 2.1</u> section	Application provides Help content pages which gives information on available content. People with visual disability are not able to read and understand this information easily, as user guide PDFs are not tagged for screen reader user.
602.4 Alternate Formats for Non-Electronic Support Documentation	Not Applicable	<b>Remark:</b> Since, the application provides information through the digital medium and it allows user to access the 'Help' feature for further help regarding the digital content and documentation. There is no such requirement of alternate formats for non-electronic support documentation as support services are available electronically.
603 Support Services	Heading cell – no response required	Heading cell – no response required
603.2 Information on Accessibility and Compatibility Features	Does not support	There is no accessibility information section available in the application, which provides information regarding accessibility and compatibility features. https://developer.harness.io/

Criteria	Conformance Level	Remarks and Explanations
603.3 Accommodation of Communication Needs		There is no phone number/ email address mentioned under support section, using which user can contact tech support. https://developer.harness.io/

# Legal Disclaimer (Harness FF)

This accessibility assessment (the "Assessment") only addresses the Harness Feature Flags product ("Feature Flags"), using a limited subset of application screens. It is not to be regarded as a comprehensive, exhaustive evaluation of accessibility across the entire Harness product platform. This Assessment is provided for information purposes only and the provided responses are subject to change without notice. Harness does not warrant that the Assessment is error-free, and it does not provide any other warranties, whether expressed orally or implied in law, including implied warranties and conditions of merchantability or fitness for a particular purpose. Harness further makes no representation or warranties concerning the ability of third party technologies or other products to integrate or be compatible with the Continuous Delivery or any other Harness products. Harness specifically disclaims any liability with respect to this Assessment and no contractual obligations are formed either directly or indirectly by this Assessment.